

# Datavideo Product Compare

<https://datavideo.com/ap/>

|                             |   |
|-----------------------------|---|
| Model Number                | <b>iCAST mini</b>   |
| Product                     | <b>4K Dual Channel Presentation Switcher</b>  |
| Video Standard              | 4K & HD   |
| Video Format                | Input:<br>3840x2160p: 30/29.97/25/24/23.98<br>1080p: 60/59.94/50/30/29.97/25/24/23.98<br>1080i: 60/59.94/50, 720p: 60/59.94/50<br>525i59.94 NTSC, 625i50 PAL<br><br>Output:<br>HDMI<br>3840x2160p: 30/29.97/25<br>1080p: 60/59.94/50/30/29.97/25/24/23.98<br>UVC<br>3840x2160p: 30/29.97/25<br>1080p60/59.94/50/30/29.97/25 |
| Video Processing            | 4K, 2K/30 4:4:4, 8bit   |
| Input Routable / Crosspoint | N/A   |
| Video Input                 | 2 x HDMI 1.4  |
| Mix HD & SD Source          | N/A   |
| Computer Graphic Interface  | 2 via HDMI  |

|                                    |  |
|------------------------------------|--|
| Video Output                       | 1 x HDMI 1.4<br>1 x USB 3.0 Type C (UVC)         |
| Down-converted Output              | Yes  |
| Built-in Multi-view Monitoring Out | N/A  |
| Analogue Audio Input               | 2 x 3 Pin XLR / 1/4" (6.3mm) Combo Socket        |
| Analogue Audio Output              | 1 x Stereo RCA set (L/R)<br>1 x Stereo headphone |
| Digital Embedded Audio Support     | Input 2 channels, Output 2 channels              |
| Audio Delay Calibration            | Up to 170ms                                      |
| A+V Switching                      | Yes  |
| Chromakey                          | N/A  |
| Title Creator                      | N/A  |
| USK                                | N/A  |
| DSK                                | N/A  |
| Picture in Picture                 | 1  |
| Logo Insertion                     | N/A  |
| Still Store                        | N/A  |
| Effects                            | Cut  |
| Transition Preview                 | N/A  |

|                         |                        |
|-------------------------|------------------------|
| Sync / Reference In/Out | N/A                    |
| Tally Output            | N/A                    |
| PC Remote Control       | N/A                    |
| Camera Control          | DVIP/ RS-422/ RS-232   |
| Built-in Audio Mixer    | Yes                    |
| Storage                 | N/A                    |
| Recording File System   | N/A                    |
| Recording File Format   | N/A                    |
| Video Encode            | N/A                    |
| Audio Encode            | N/A                    |
| Streaming Protocol      | N/A                    |
| Firmware Update         | USB                    |
| Special Features        | 7" Touchscreen Display |
| Chassis                 | Unibody                |
| Dimension (LxWxH)       | 220 x 154 x 75mm       |
| Weight                  | 1.1 kg                 |
| Power                   | DC 12V 18.7W           |
| Operating Temp. Range   | 0~40 °C                |

|                   |   |
|-------------------|---|
| What's in the Box | 1 x iCast MINI product<br>1 x AD Switch DC 12V with AC Cord |
|-------------------|---|