

Datavideo Product Compare

<https://datavideo.com./de/>

| | |
|---------------------------|--|
| Modell-Nr | MS-3200 |
| Product | HD 12-Kanal Mobile Video Studio |
| Digital Video Switcher | SE-3200 |
| 17.3" Rack Mount LCD | TLM-170VM x1 |
| Recorder | HDR-90 x1 |
| Intercom/Tally System | ITC-300 w/4 Belt Pack |
| SDI Vector Scope | Built-in TLM-170VM |
| Audio Mixer | AD-200 |
| Power Distributor (8-way) | PD-2A |
| Return Video (8-CH CV) | ---- |
| Camera Control System | ---- |
| Camera Power Distributor | PD-6 (optional) |
| Multi-camera Control Unit | ---- |

| | |
|------------------------------|-----------------|
| H.264 Video Streaming Server | NVS-35 |
| 4K Multicamera Processor | ---- |
| Network Media Player | ---- |
| HD/SD SDI Amplifier | ---- |
| Rack System Integration | 8RU Flight Case |
| Weight | 65 kg |
| Operating Temp. Range | 0~40 °C |
| Options | |
| Camera Power Distributor | ---- |
| Camera Power Regulator | ---- |
| Redundant Power (360W) | ---- |
| SDI/CV/ITC/DC Cable | ---- |
| CB-22H/23H Repeater | ---- |
| SDI/ITC Cable | ---- |
| ITC/Tally Cable | ---- |

| | |
|-------------------|--|
| HDMI Cable | CB-60/61/62 (30m/50m/100m) |
| 100m SDI Repeater | VP-633 / VP-634 |
| What's in the Box | <ul style="list-style-type: none"> 1 x MS-3200 product 4 x ITC-300SL Belt Pack 4 x Tally LED Indicator 4 x Headset with microphone 1 x Goose neck MIC 4 x Ethernet Cable 4 x RJ-45 Protective Shield Set 4 x GPI Cable 1 x AC Power Cord 1 x Y type USB cable 5 x 120mm cable tie 10 x 200mm cable tie 1 x Y type 2 pin MOLEX cable 2 x 2.5" HDD enclosure 1 x SATA to USB Cable 10 x Screw M3*4mm 10 x Anti-vibration screw + M5*10 washer 2 x ISO screw 2*6mm 4 x Black Velcro 36cm |