

Datavideo Product Compare

<https://datavideo.com./kr/>

| | |
|----------------------------|--|
| 모델 넘버 | HS-1300 |
| 제품 | 6채널 HD 포터블 비디오 스트리밍 스튜디오 |
| Video Standard | HD |
| Video Format | 1080i 50/59.94/60Hz 720p 50/59.94/60Hz |
| Input Rutable / Crosspoint | All 6, repeatable |
| Video Input | 4x HD-SDI 2x HDMI |
| Computer Graphic Interface | 2 via HDMI |
| Down-converted Output | ---- |
| Video Output | 3x HDMI + 2x SDI assignable: AUX 1-6, PGM, PVW, PGM Clean or Multiview |
| Analogue Audio Input | 2x Balanced XLR |
| Analogue Audio Output | 1x Stereo headphone |

| | |
|--------------------------------|---|
| Digital Embedded Audio Support | Input 2 channels, Output 2 channels |
| Audio Delay Calibration | ---- |
| A+V Switching | Yes |
| USK | 2x USK support Chromakey |
| DSK | 2, support Lumakey & Linear key (Key / Fill) |
| Picture in Picture | 1 |
| Logo Insertion | ---- |
| Title Creator | ---- |
| Built-in Audio Mixer | ---- |
| Built-in Monitor Display | 17.3" HD TFT LED backlit, 1600x900 pix |
| Built-in Intercom & Tally | ---- |
| Streaming | |
| Streaming | H.264 / AVC, Main/ High Profile Configurable Bit-rate up to 10Mbps |
| Streaming Audio Encode | AAC-LC Configurable bit rate range from 32Kbps to 384Kbps Sample rate: 48KHz, 16bit |
| Streaming Protocol | TS over TCP/UDP (unicast & multicast) RTSP over HTTP/TCP/UDP (RTSP Elementary Streaming) RTMP/RTMPS (Publish) HLS SRT |

| | |
|---------------------------------------|---|
| Streaming Control | Web browser UI for configuration and control Socket commands |
| Recording File System | FAT, exFAT, NTFS |
| Recording File Format | MP4 |
| Streaming & Recording Setting Control | Web UI for system configuration and control |
| Others | |
| Special Features | Streaming encoder and recorder 2 chromakey virtual studio 9 stinger transition and 30 virtual sets included |
| Dimension (LxWxH) | 455 x 355 x 134 mm |
| Weight | 16.3 Lbs (7.4 kg), Reinforce Plastic Case |
| Power | DC 12V, 5A |
| Operating Temp. Range | 0~40 °C |
| What's in the Box | 1 x HS-1300 Product 1 x AD Switch DC 12V with AC Cord |