

# Datavideo Product Compare

<https://datavideo.com/hk/>

型號	<b>GO KMU-100 Studio</b>
產品	洋銘易直播GO KMU-100 Studio
视频系统	UHD & HD
视频格式	3840x2160p 23.98/24/25/29.97/30/50/59.94/60. 1080p 23.98/24/25/29.97/30 1080i 50/59.94/60 1080PsF 23.98/24/25/29.97/30 720p 50/59.94/60
视频处理	SDI: 4:2:2 HDMI: 4:2:0/4:2:2
视频输入	2 sets of SDI Input: each set of 4x SDI 1x 3Gb/s or 12Gb/s SD/HD/4K. Supports single link 4:2:2 3x 3Gb/s SD/HD/4K. Supports single link, dual link, and quad link 4:2:2  2x HDMI Input: each of HDMI support for Ultra HD 4K 60p in 4:2:0/4:2:2 2x 12G/6G/3G-SDI support 4K60 4:2:2 single link and quad link 2x HDMI 1.4b/2.0 support 4K60 4:2:0 / 4:2:2
视频输出	8x 3G/HD/SD-SDI support single link 4:2:2 2x HDMI 1.4 support 1080p/50/60 4:2:2
音频输入	SDI: 16 Ch embedded in HD/4K. 8 Ch embedded in SD HDMI: 8 Ch embedded in SD, HD and Ultra HD 4K
音频输出	SDI: 16 Ch embedded in HD/4K. 8 Ch embedded in SD. HDMI: 8 Ch embedded in SD, HD and Ultra HD 4K
支持音频轨数	SDI: 16 Ch embedded in HD/4K. 8 Ch embedded in SD. HDMI: 8 Ch embedded in SD, HD and Ultra HD 4K

视频抠像	----
USK	----
DSK	----
子母画面	----
LOGO显示	----
图片显示	----
特效	----
Tally输出	----
调音台	----
显示器	Dual 10.1" LCD
特别功能	Seamless Cut
<b>Streaming</b>	
直播编码方式	H.264/AVC, Main/High Profile
直播视频码流	Record Only: Up to 16Mbps (1080p50/60) Stream Only: Up to 10Mbps (1080p50/60) Rec+Stream: 10Mbps (1080p25/30)
直播音频模式	Stereo/Mono
直播音频码流	Stereo: 64~384Kbps Mono: 32~192Kbps
串流协议	TS over TCP/UDP (unicast & multicase) RTSP over HTTP/TCP/UDP (RTSP Elementary Streaming) RTMP/RTMPS (Publish) HLS
网络介面	1x RJ45 (10/100Mbps Ethernet)
直播录像格式	H.264
直播存储方式	SD Card
<b>Recording</b>	

录像储存方式	SD Card
录像存储带宽	Removable Hard Drive, transfer data via USB 2.0
录像储存格式	NTFS, FAT, exFAT
录像储存文件格式	MP4
<b>Audio</b>	
音频输入接口	3x XLR(2 for Line-in, 1 for Mic-in), 2x RCA
音频输出接口	2x XLR, 2x Unbalanced RCA
音频显示界面	SMT LCD
音频延迟	Up to 700ms
<b>Others</b>	
尺寸	493 x 253 x 331 (monitor's up) 493 x 253 x 190 (monitor's down)
重量	14 kg
电源	DC 12V, 60W
操作温度	0~40 °C
附件	1 x GO KMU-100 Studio Product 1 x RMC-185 Product 1 x AD Switch DC 12V 2 x HDMI Cable 3 x BNC Cable 2 x RCA Cable 1 x Ethernet Cable 1 x RS-422 D Sub 9Pin to RJ-45 Adapter Cable 12 x Cable Ties