

# Datavideo Product Compare

<https://datavideo.com/hk/>

|        |                                                                                                   |
|--------|---------------------------------------------------------------------------------------------------|
| 型號     | <b>HS-1650T</b>                                                                                   |
| 產品     | <b>4通道HDBaseT手提式觸控錄播導播室</b>                                                                       |
| 影像系統   | HD & SD                                                                                           |
| 影像格式   | 1080p 50/59.94/60Hz<br>1080i 50/59.94/60Hz<br>720p 50/59.94/60Hz<br>576i/p 50Hz<br>480i/p 59.94Hz |
| 輸入格式設定 | ----                                                                                              |
| 影像輸入   | 3 x HDBaseT<br>1 x HDMI                                                                           |
| 電腦輸入   | 1 via HDMI                                                                                        |
| 下變換轉換器 | Yes                                                                                               |
| 影像輸出   | 3x HDMI PGM<br>1x HDBaseT PGM<br>1x STREAM (RJ-45)                                                |
| 聲音輸入   | 2x Balanced XLR<br>1x Stereo RCA (L/R)<br>De-embedded Digital Audio                               |
| 聲音輸出   | 1x Stereo headphone                                                                               |
| 聲音嵌入   | Input 2 channels, Output 2 channels                                                               |
| 聲音延遲   | ----                                                                                              |
| 聲音同步切換 | ----                                                                                              |

|                  |                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| USK              | 1x USK support Lumakey                                                                                                            |
| DSK              | ----                                                                                                                              |
| 子母畫面             | 1                                                                                                                                 |
| LOGO             | ----                                                                                                                              |
| 字幕機              | ----                                                                                                                              |
| 混音機              | Yes, 4 channels                                                                                                                   |
| 監看螢幕             | 17.3" HD TFT LED backlit, 1920x1080 pix                                                                                           |
| 通話系統             | ----                                                                                                                              |
| <b>Streaming</b> |                                                                                                                                   |
| 串流影片編碼           | H.264 / AVC, Main/ High Profile<br>Configurable Bit-rate up to 10Mbps                                                             |
| 串流聲音編碼           | AAC-LC<br>Configurable bit rate range from 32Kbps to 384Kbps<br>Sample rate: 48KHz, 16bit                                         |
| 串流協議             | TS over TCP/UDP (unicast & multicast)<br>RTSP over HTTP/TCP/UDP (RTSP Elementary Streaming)<br>RTMP/RTMPS (Publish)<br>HLS<br>SRT |
| 串流控制             | Web browser UI for configuration and control Socket commands                                                                      |
| 錄製檔案系統           | FAT, exFAT, NTFS                                                                                                                  |
| 錄製檔案格式           | MP4                                                                                                                               |
| 錄製設定控制           | Web UI for system configuration and control                                                                                       |
| <b>Others</b>    |                                                                                                                                   |
| 特別功能             | Built-in camera controller                                                                                                        |
| 尺寸               | 455 x 355 x 134 mm                                                                                                                |
| 重量               | 17.2 Lbs (7.8 kg), Reinforce Plastic Case                                                                                         |
| 电源               | DC 48V, 4.16A                                                                                                                     |

|      |                                                                                 |
|------|---------------------------------------------------------------------------------|
| 操作温度 | 0~40 °C                                                                         |
| 附件   | 1 x HS-1650T Product<br>1 x AD Switch DC 56V with AC Cord<br>3 x Ethernet Cable |