

Datavideo Product Compare

<https://datavideo.com/hk/>

型號	PTR-15 .
產品	4K Robotic Pan Tilt Head .
影像端子	HDMI 2.0 x 1 12G-SDI x 1 3G-SDI x 1
影像輸出	2160p 60/59.94/50 2160p 30/29.97/25 1080p 60/59.94/50 1080p 30/29.97/25 1080i 60/59.94/50 720p 60/59.94/50
控制器	RMC-180 MARK II RMC-300A RMC-300C SHOWCAST 100 VISCA Protocol Controller IP Control IR remote
Genlock	YES
Timecode	YES
轉動範圍	Pan: 340° Tilt: ±45°
轉動速度	Pan: 0.12~15° /Sec Tilt: 0.06~10° /Sec
預設位置	Pan/Tilt position 199
控制距離	1,200M by RS422 100M by DVIP

控制協議	Sony VISCA DVIP
控制輸入	RS-422 DVIP
載重	4 KG Max
控制輸出	RS-232 RS-422 IP Control BX-Lens LanC
電源需求	DC 14V~ 20V, 90W
電源輸出	DC 24/12V, 36W Max
操作溫度	0~40 C°
操作濕度	10~80%
儲存溫度	-10~60C°
儲存濕度	5~80%
重量	3.7 kg
尺寸（長x 寬x高）	241 x 191 x 300 mm
可選配件	ZEK-1 ZEK-2 PCB-1 WM-10 WM-11 CM-10
附件	PTR-15 Main Unit x 1 DC 19V power adaptor x 1 AC cord x 1 IR remote control x 1 DC with lock to D-Tap cable x 1 HDMI cable x 1 SDI cable x 1 Remote cable (2.5mm phone-jack to mini-din 8pin) x 1 1/4" screw x 2 1/4" to 3/8" screw adaptor x 1

